Enhancing the Routine Screening Infrastructure to Address a Syphilis Epidemic in Miami-Dade County

Alejandro Larios, BHSA

Linkage to Care Specialist

Homestead Hospital

Baptist Health South Florida

Miami-Dade County

William Duquette, CEO

Homestead Hospital
Baptist Health South Florida
Miami-Dade County

Note



The FOCUS Program is a public health initiative that enables partners to develop and share best practices in routine blood-borne virus (HIV, HCV, HBV) screening, diagnosis, and linkage to care in accordance with screening guidelines promulgated by the U.S. Centers for Disease Control and Prevention (CDC), the U.S. Preventive Services Task Force (USPSTF), and state and local public health departments.

FOCUS funding supports HIV, HCV, and HBV screening and linkage to the first medical appointment after diagnosis. FOCUS partners do not use FOCUS awards for activities beyond linkage to the first medical appointment.

FOCUS Partner At-A-Glance





- 140 bed hospital in South Miami-Dade County
- 100,000 Emergency Department visits annually
- Population ethnically diverse, largely Hispanic and African American
- Policy-driven HIV/HCV screening and linkage to care program
- Formal collaboration with Miami-Dade County DoH for linkage and data reconciliation

PROGRAM FINDINGS



- Since May 2016, Homestead has screened over 38,000 ED patients for HIV and HCV:
 - 1% HIV seropositivity and has linked 86% of patients to care, including 100% of newly diagnosed patients
 - 3% HCV seropositivity with 67% linkage to care

UNCOVERING UNEXPECTED SEROPOSITIVITY

- The routine screening model revealed the black female HIV seropositivity is extremely high
- Though black females were only 16% of the total tested, they represented nearly 40% of total HIV positives

(i.e., 2.4% HIV seropositivity amongst black females; 5.4% in one month).

POLICY-DRIVEN SCREENING - HOSPITAL SIGNAGE

HIV Testing

This facility performs HIV testing as part of routine healthcare as recommended by the U.S. Centers of Disease Control and Prevention (CDC) in its 2006 Revised Recommendations for HIV Testing and as provided for in Florida Statute 381.004(2)(a)1.

We perform routine HIV tests on our patients so that we can try to identify people who have HIV and diagnose them so they can seek treatment and reduce their risk of transmitting HIV to others.

Our medical providers will order an HIV test only if additional blood tests also are being performed during your Emergency Department visit.

If you do not want to be tested for HIV, you must tell the medical provider or nurse who notifies you about performing the HIV test.

Pruebas de VIH

Esta instalación realiza pruebas de detección de VIH como parte de la atención médica de rutina, como ha sido recomendado por los Centros Para el Control y la Prevención de Enfermedades de los EE.UU. (CDC, por sus siglas en ingles) en sus Recomendaciones Actualizadas Para Pruebas de VIH 2006 y como ha sido establecido en el Estatuto de la Florida número 381.004(2)(a)1.

Nosotros realizamos pruebas de VIH como rutina a nuestros pacientes para tratar de identificar a las personas que tengan el VIH y diagnosticarlas para que puedan recibir tratamiento y reducir su riesgo de trasmitir el VIH a otras personas.

Nuestros profesionales de atención médica ordenarán una prueba de detección de VIH sólo si se le están siendo realizadas pruebas de sangre adicionales durante su visita al Departamento de Emergencia.

Si usted <u>no desea</u> recibir la prueba de detección de VIH, usted <u>debe decirselo</u> al profesional de atención médica o al enfermero(a) que le notifique acerca de la realización de dicha prueba.



HIV Testing

This facility performs HIV testing as part of routine healthcare as recommended by the U.S. Centers of Disease Control and Prevention (CDC) in its 2006 Revised Recommendations for HIV Testing and as provided for in Florida Statute 381.004(2)(a)1.

We perform routine HIV tests on our patients so that we can try to identify people who have HIV and diagnose them so they can seek treatment and reduce their risk of transmitting HIV to others.

Our medical providers will order an HIV test only if additional blood tests also are being performed during your Emergency Department visit.

If you do not want to be tested for HIV, you must tell the medical provider or nurse who notifies you about performing the HIV test.

Policy-Driven Screening Program




"As hospital policy, your labs will include an HIV test unless you decline.

Do you have any questions?"

Reason patient refused: O HIV + O Refused to provide react to Recently tested elsewhere O Other: O Not at risk O Doesn't want to know results	
Recently tested elsewhere	Refused to provide reason
O Not at risk	
	sted elsewhere O Other:
	nt to know results
Reason patient not informed of policy:	ent not informed of policy:
O No other blood draw ordered	ood draw ordered
Medically unable to provide consent Other:	nable to provide consent

Discharge Instructions





Elements for Formalized Partnership







FLORIDA DEPARTMENT OF HEALTH

DIVISION OF DISEASE CONTROL AND HEALTH PROTECTION

HIV/AIDS Section
CERTIFICATE OF REGISTRATION

Issued To

Homestead Hospital Site #10-344

for the period of one year

to conduct HIV Prevention Counseling, Testing and Linkage Services.

EXPIRES November 29, 2018

Mara Mus Lucius
Mari Michniewicz, MPH, CHES
Prevention Program Manager
HIV/AIDS Section, Prevention Program



MEMORANDUM OF AGREEMENT

BETWEEN

STATE OF FLORIDA, DEPARTMENT OF HEALTH (MIAMI-DADE)

AND

HOMESTEAD HOSPITAL

This MEMORANDUM OF AGREEMENT (Agreement) addresses the collaborative efforts of Homestead Hospital, (Provider) and State of Florida, Department of Health (Department).

A. SCOPE OF SERVICES:

- Provider agrees to:
 - a. Make every reasonable effort to link 90% of HIV positive clients to outreach linkage-to-care coordinator in accordance with all DOH policies, protocols, procedures and guidelines regarding Confidential HIV Counseling, Testing, and Linkage Services are taken to ensure that clients have access to the service(s).
 - b. Report HIV positive test results with identifying information (including: client name, address, telephone number, date of birth, race, sex, country of birth, ethnicity), risk information, test date, and type of test performed for all clients testing confidentially to the Florida Department of Health in Miami-Dade, HIV/AIDS Surveillance program. All confidential reports must be placed in a double sealed envelope (with the inner envelope marked CONFIDENTIAL) prior to hand delivery or by mail. Contact the Surveillance Supervisor regarding issues related to HIV/AIDS Surveillance reporting:

Florida Department of Health in Miami-Dade 1350 NW14th attaget, Suite F302 Miami, FL 33125 Attention: Area Field Manager Phone: (305) 470-6982

c. Refer ALL confidential HIV positive test results on clients not returning for post-test counseling within 1 day of the scheduled return date to the Disease Intervention Specialist (DIS) assigned to Homestead Hospital or to the Florida Department of Health in Miami-Dade, STD Surveillance program:

> STD Surveillance Manager Florida Department of Health in Miami-Dade STD/HIV Prevention and Control Program 1350 NW 14th Street, 4th Floor, Room 402 Miami, FL 33125 (305) 575-3800 Ext. 35013

Working Together



Florida Department of Health's contribution:

• Provision of a dedicated Disease Intervention

FLORIDA DEPARTMENT OF

- Specialist (DIS)
- HIV NAAT testing
- HCV RNA testing
- Treponema Pallidum Particle Agglutination assay (TP-PA) testing

An 18th-Century Ailment is Back...



Syphilis Cases Rising in South Florida



Miami Has a Serious Syphilis Problem



How Syphilis Came Roaring Back, The 18th-century ailment was on the brink of elimination before budget cuts helped resurrect it



"Syphilis Tsunami" Ad Along I-95 Aims to Shock Miami Into Action




Intersection of Routine HIV Screening, Syphilis and HIV Prevention Opportunities



May 2016 - October 2017

18,000 HIV Screens, 1.0% seropositivity



A retrospective audit with the DoH determined that of the 183 patients diagnosed positive for HIV via routine testing:

- •24% (44) were screened for syphilis
- •21% (39) had a reactive syphilis screen
- •33% (13) of syphilis cases were found to be reactive prior to HIV diagnosis.

Enhancing the Routine Screening Infrastructure to Address a Syphilis Epidemic



Rule based upon the <u>reason for</u> medical visit as well as the results for the indicators set forth below:

+ Qualitative Pregnancy Test

OR

+ STD result (GC/Chlamydia) – on date of service and historical results




Triggers order for Syphilis Test (Qual)






+ Syphilis Screen Plus - HIV result → Linked to DoH


REASON FOR MEDICAL VISIT - PNED TERMS & CODES



POSITIVE QUALITATIVE PREGNANCY TEST RESULT




CURRENT OR HISTORICAL STD RESULT



Syphilis Serologic Screening Algorithms





SYPHILIS DATA HIGHLIGHTS: HOMESTEAD HOSPITAL EMERGENCY DEPARTMENT

April – December 2018

- 2,532 Syphilis Tests performed
 - 2.74% seropositivity
 - 43% were new cases
 - 25% were pregnant women:
 - 19 field records with the DoH
 - 68.42% (13) were previously treated
 - 31.57% (6) were brought to treatment
 - We were able to avert 6 cases of congenital syphilis in our community.



SIGNIFICANT CASES

Case Study #1:


- An identified gay male in his late 30s
- History of Syphilis and who was non-responsive to prior treatment
- Presented to HH otherwise asymptomatic, however complaint of a headache
- after being triaged, the smart algorithm triggered a syphilis test order—based upon the patients historical positive STD results
- Reactive RPR titer of 1:256, confirmed neurosyphilis
- Co-diagnosed a year ago with HIV
- The patient was then treated with Penicillin Iv q
 4h x 14 days

SIGNIFICANT CASES

Case Study #2:

- A male in his mid-20s
- Chief complaint (CC) penile rash
- Tested negative for GC/Chlamydia
- Despite negative results, the algorithm triggered a syphilis test order based on the primary CC.
 - Patient treated based on guidelines
- An opportunity for prevention of future HIV infection.

RE-LINKAGE ALERTS



Thank You!

Any Questions?

